

(1) EC Type Examination Certificate



(2) Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres – **Directive 94/9/EC**

(3) EC Type Examination Certificate Number:

TPS 05 ATEX 2 163 X



(4) Equipment: Distillation Equipment D (12/25/60/120 et seq.)

(5) Manufacturer: Formeco s.r.l.

(6) Address: Via Cellini 33
I-35027 Noventa Padova

(7) This equipment and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

(8) TÜV Product Service, TÜV SÜD Group, notified body No. 0123 in accordance with Article 9 of the Council Directive 94/9/EC of March 23rd 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.
The examination and test results are recorded in the confidential report N° TA 65981 T.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 13463-1:2001

EN 13463-5:2003

BGR 132:2003

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC Type Examination Certificate relates only to the design and construction of the specified equipment in accordance with Directive 94/9/EC. Further requirements of this Directive apply to the manufacturing process and supply of this equipment.

(12) The marking of the equipment shall include the following:

II 2G IIA T2

Office of certification of explosion protection

Munich, 2005-11-11

J. Blum



EC Type Examination Certificate without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by TÜV Product Service, TÜV SÜD Group. In case of dispute, the German text shall prevail.

The document is internally administrated under the following number: EX8 05 11 13844 003